

इंटरनेट

मानक

Disclosure to Promote the Right To Information

Whereas the Parliament of India has set out to provide a practical regime of right to information for citizens to secure access to information under the control of public authorities, in order to promote transparency and accountability in the working of every public authority, and whereas the attached publication of the Bureau of Indian Standards is of particular interest to the public, particularly disadvantaged communities and those engaged in the pursuit of education and knowledge, the attached public safety standard is made available to promote the timely dissemination of this information in an accurate manner to the public.

“जानने का अधिकार, जीने का अधिकार”

Mazdoor Kisan Shakti Sangathan

“The Right to Information, The Right to Live”

“पुराने को छोड़ नये के तरफ”

Jawaharlal Nehru

“Step Out From the Old to the New”

IS 6932-11 (1983): Methods of Tests for Building Limes, Part 11: Determination of Setting Time of Hydrated Lime [CED 4: Building Limes and Gypsum Products]



“ज्ञान से एक नये भारत का निर्माण”

Satyanarayan Gangaram Pitroda

“Invent a New India Using Knowledge”



“ज्ञान एक ऐसा खजाना है जो कभी चुराया नहीं जा सकता है”

Bhartrhari—Nitiśatakam

“Knowledge is such a treasure which cannot be stolen”

BLANK PAGE



IS : 6932 (Part 11) - 1983

Indian Standard

**METHODS OF TESTS FOR
BUILDING LIMES**

**PART 11 DETERMINATION OF SETTING TIME OF
HYDRATED LIME**

(First Reprint NOVEMBER 1990)

UDC 691.51 : 666.924.2/.3.015.4/.6 : 620.1

© Copyright 1984

**BUREAU OF INDIAN STANDARDS
MANAK BHAVAN, 9 BAHADUR SHAH ZAFAR MARG
NEW DELHI 110002**

AMENDMENT NO. 1 JULY 2010
TO
IS 6932 (PART 11) : 1973 METHODS OF TESTS FOR
BUILDING LIMES

PART 11 DETERMINATION OF SETTING TIME OF
HYDRATED LIME

(Page 1, Foreword, clause **0.2**, line 2) — Substitute ‘IS 4031 (Part 5) : 1988*’ for ‘IS : 4031-1968*’.

(Page 1, clause **2.1**, line 1) — Substitute ‘IS 5513 : 1996‡’ for ‘IS : 5513-1976‡’.

(Page 1, footnote marked *) — Substitute the following for the existing:

‘*Methods of physical tests for hydraulic cement : Part 5 Determination of initial and final setting times (*first revision*).’

(Page 1, footnote marked ‡) — Substitute the following for the existing:

‘‡Specification for Vicat apparatus (*second revision*).’

Indian Standard

METHODS OF TESTS FOR BUILDING LIMES

PART 11 DETERMINATION OF SETTING TIME OF HYDRATED LIME

Building Limes Sectional Committee, BDC 4

Chairman

DR IQBAL ALI

14-1-359, New Aghapura, Hyderabad

Members

Representing

SHRI S. P. S. AHUJA	Engineer-in-Chief's Branch, Ministry of Defence
MAJ S. P. SHARMA (<i>Alternate</i>)	
SHRI SURAJ S. J. BAHADUR	Housing & Urban Development Corporation Limited, New Delhi
SHRI S. V. BANERJEE	National Test House, Calcutta
SHRI D. K. KANUGO (<i>Alternate</i>)	
SHRI S. K. CHAUDHARY	Lime Manufacturers Association of India, Delhi
DR S. K. CHOPRA	Cement Research Institute of India, New Delhi
DR K. C. NARANG (<i>Alternate</i>)	
DIRECTOR	A. P. Engineering Research Laboratories, Hyderabad
DIRECTOR	Central Soil and Materials Research Station, New Delhi
DEPUTY DIRECTOR (<i>Alternate</i>)	
DIRECTOR, GERI, VADODARA	Public Works Department (Government of Gujarat), Vadodara
RESEARCH OFFICER (MATERIAL TESTING DIVISION) (<i>Alternate</i>)	
HOUSING COMMISSIONER	Rajasthan Housing Board (Government of Rajasthan), Jaipur
JOINT DIRECTOR, RESEARCH (B&S), RDSO	Ministry of Railways
DEPUTY DIRECTOR, RESEARCH (B&S), (<i>Alternate</i>)	
SHRI H. L. MARWAH	Builder's Association of India, Bombay
SHRI HARISH C. KOHLI (<i>Alternate</i>)	
DR IRSHAD MASOOD	Central Building Research Institute (CSIR), Roorkee
SHRI S. P. GARG (<i>Alternate</i>)	

(Continued on page 2)

© Copyright 1984

BUREAU OF INDIAN STANDARDS

This publication is protected under the *Indian Copyright Act (XIV of 1957)* and reproduction in whole or in part by any means except with written permission of the publisher shall be deemed to be an infringement of copyright under the said Act.

IS : 6932 (Part 11) - 1983

(Continued from page 1)

Members	Representing
DR S. C. MAUDGAL	Department of Science & Technology, New Delhi
SHRI N. MACEDO	Dyer's Stone Lime Co Pvt Ltd, Delhi
SHRI Y. R. PHULL	Central Road Research Institute (CSIR), New Delhi
SHRI M. L. BHATIA (Alternate)	
SHRI S. RAMCHANDRAN	Public Works Department (Government of Madhya Pradesh), Bhopal
SHRI R. N. KHANNA (Alternate)	
DR A. V. R. RAO	National Buildings Organization (Ministry of Works & Housing), New Delhi
SHRI J. SEN GUPTA (Alternate)	
SHRI S. B. L. SRIVASTAVA	Department of Mines & Geology (Government of Rajasthan), Udaipur
SHRI R. G. GUPTA (Alternate)	
SUPERINTENDING ENGINEER (P&D)	Public Works Department (Government of Tamil Nadu), Madras
EXECUTIVE ENGINEER (BUILDING CENTRE DIVISION) (Alternate)	
SHRI V. VASUDEVAN	Khadi & Village Industries Commission, Bombay
SHRI E. RAMACHANDRAN (Alternate)	
SHRI G. RAMAN, Director (Civ Engg),	Director General, ISI (Ex-officio Member)

Secretary

SHRI N. C. BANDYOPADHYAY
Deputy Director (Civ Engg), ISI

Indian Standard

METHODS OF TESTS FOR BUILDING LIMES

PART 11 DETERMINATION OF SETTING TIME OF HYDRATED LIME

0. FOREWORD

0.1 This Indian Standard (Part 11) was adopted by the Indian Standards Institution on 30 December 1983, after the draft finalized by the Building Limes Sectional Committee had been approved by the Civil Engineering Division Council.

0.2 Hitherto, method of test for determination of initial and final setting times of hydrated lime was included in IS : 4031-1968*. With a view to including all the tests concerning building limes in one standard, this test is being published separately as an additional part to IS : 6932 (Parts 1 to 10).

0.3 In reporting the results of a test or analysis made in accordance with this standard, if the final value, observed or calculated, is to be rounded off, it shall be done in accordance with IS : 2-1960†.

1. SCOPE

1.1 This standard (Part 11) covers the method of test for determination of setting time of hydrated lime.

2. APPARATUS

2.1 The Vicat apparatus conforming to IS : 5513-1976‡ shall be used.

3. PROCEDURE

3.1 Preparation of Test Sample — The sample shall be in the form of putty and shall be prepared in accordance with **3.2.4** of IS : 6932 (Part 8)-1973§.

*Methods of physical tests for hydraulic cement.

†Rules for rounding off numerical values (revised).

‡Specification for Vicat apparatus (first revision).

§Methods of tests for building limes : Part 8 Determination of workability.

3.1.1 Fill the vicat mould *E* with this paste, the mould resting upon a non-porous plate. After completely filling the mould, smooth off the surface of the paste, making it level with the top of the mould. The mould shall be slightly shaken to expel the entrapped air.

3.1.2 Clean appliances shall be used for gauging and the temperature of lime, water and that of the test room at the time when above operations are performed shall be $27 \pm 2^{\circ}\text{C}$ and in an atmosphere of at least 90 percent relative humidity and away from draughts.

3.2 Determination of Initial Setting Time — Place the test block prepared in accordance with **3.1** under the rod bearing the needle (*C*); lower the needle gently in contact with the surface of the test block and quickly release, allowing it to penetrate into the test block. In the beginning, the needle will completely pierce the test block. Repeat this procedure until the needle, when brought in contact with the test block and released as described above, fails to pierce the block by 5 ± 0.5 mm measured from the bottom of the mould. The period elapsing between the time when water is added to the lime and the time at which the needle fails to pierce the test block by 5 ± 0.5 mm shall be the initial setting time.

3.3 Determination of Final Setting Time — Replace the needle (*C*) of the Vicat apparatus by the needle with an annular attachment (*F*). The lime shall be considered as finally set when, upon applying the needle gently to the surface of test block, the needle makes an impression on the surface of test block while the attachment fails to do so shall be the final setting time. In the event of a scum forming on the surface of the test block, use the underside of the block for the determination.

BUREAU OF INDIAN STANDARDS

Headquarters :

Manak Bhavan, 9 Bahadur Shah Zafar Marg, NEW DELHI 110002

Telephones : 331 01 31

Telegrams : Manaksanstha

331 13 75

(Common to all Offices)

Regional Offices :

	Telephone
Central : Manak Bhavan, 9, Bahadur Shah Zafar Marg, NEW DELHI 110002	{ 331 01 31 331 13 75
* Eastern : 1/14 C.I.T. Scheme VII M, V.I.P. Road, Maniktola, CALCUTTA 700054	37 86 62
Northern : SCO 445-446, Sector 35-C, CHANDIGARH 160036	2 18 43
Southern : C.I.T. Campus, IV Cross Road, MADRAS 600113	41 29 16
† Western : Manakalaya, E9 MIDC, Marol, Andheri (East), BOMBAY 400093	6 32 92 95

Branch Offices :

'Pushpak', Nurmohamed Shaikh Marg, Khanpur, AHMADABAD 380001	2 63 48
† Peenya Industrial Area, 1st Stage, Bangalore-Tumkur Road, BANGALORE 560058	39 49 55
Gangotri Complex, 5th Floor, Bhadbhada Road, T.T. Nagar, BHOPAL 462003	55 40 21
Plot No. 82/83, Lewis Road, BHUBANESHWAR 751002	5 36 27
Kalai Kathir Building, 6/48-A Avanas Road, COIMBATORE 641037	2 67 05
Quality Marking Centre, N.H. IV, N.I.T., FARIDABAD 121001	—
Savitri Complex, 116 G. T. Road, GHAZIABAD 201001	8-71 19 96
53/5 Ward No. 29, R.G. Barua Road, 5th By-lane, GUWAHATI 781003	3 31 77
5-8-56C L. N. Gupta Marg, (Nampally Station Road) HYDERABAD 500001	23 10 83
R14 Yudhister Marg, C Scheme, JAIPUR 302005	6 34 71
117/418 B Sarvodaya Nagar, KANPUR 208005	21 68 76
Plot No. A-9, House No. 561/63, Sindhu Nagar, Kanpur Road. LUCKNOW 226005	5 55 07
Patliputra Industrial Estate, PATNA 800013	6 23 05
District Industries Centre Complex, Bagh-e-Ali Maidan, SRINAGAR 190011	—
T. C. No. 14/1421, University P. O., Palayam, THIRUVANANTHAPURAM 695034	6 21 04
Inspection Offices (With Sale Point) :	
Pushpanjali. First Floor, 205-A West High Court Road. Shankar Nagar Square, NAGPUR 440010	52 51 71
Institution of Engineers (India) Building, 1332 Shivaji Nagar, PUNE 411005	5 24 35
*Sales Office Calcutta is at 5 Chowringhee Approach, P. O. Princep Street, CALCUTTA	27 68 00
† Sales Office is at Novelty Chambers, Grant Road, BOMBAY	89 65 28
‡ Sales Office is at Unity Building, Narasimharaja Square, BANGALORE	22 39 71